

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	109	((home adj2 network) with (forward\$3 reply\$3 replie? respond\$3 response) with ((visit\$3 foreign roaming) adj2 network)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:24
S2	14	((home adj2 network) with (forward\$3 reply\$3 replie? respond\$3 response) with (((visit\$3 foreign roaming) adj2 network) privacy) near3 address) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:20
S3	0	((distributed near4 storage) same ((map\$4 assign\$3) with (user client) with (storage server database))) and ((home foreign roaming) near3 network) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:31
S4	36	((distributed near4 storage) and ((map\$4 assign\$3) with (user client) with (storage server database))) and ((home foreign roaming) near3 network) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:37
S5	706	((distributed near4 storage) and ((map\$4 assign\$3) with (user client) with (storage server database))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:37
S6	152	((distributed near4 storage) same ((map\$4 assign\$3 select\$3) with (user client) with (storage server database))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:38
S8	142	((distributed near4 storage) same ((map\$4 assign\$3 select\$3) with (user client) with (storage database))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:38

EAST Search History

S9	48	((distributed near4 storage) same ((map\$4 assign\$3) with (user client) with (storage database))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/26 20:45
S10	40	((multiple distributed) with privacy with database) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:20
S11	209	((privacy with (management system database)) same ((distributed several many multiple peer p2p) with (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) with (user client) with (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:11
S12	99	((privacy with (management system database)) same ((distributed several many multiple peer p2p) with (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) near4 (user client) near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:23
S13	81	((privacy with (management system database)) same ((distributed several many multiple peer p2p) near4 (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) near4 (user client) near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:32
S14	25	((privacy near4 (management system database)) same ((distributed several many multiple peer p2p) near4 (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) near4 (user client) near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:28

EAST Search History

S15	0	((privacy near4 (management system database)) and ((distributed several many multiple peer p2p) near4 (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) near4 "which" near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:29
S16	0	((privacy near4 (management system database)) and ((distributed several many multiple peer p2p) near4 (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) with "which" near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:31
S17	0	((distributed several many multiple peer p2p) near4 (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) with "which" near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:30
S19	553	((privacy near4 (management system database)) and ((distributed several many multiple peer p2p) near4 (storage database system))) and ((map\$4 track\$3 assign\$4 select\$3) near4 (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:31
S20	56	S13 not S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:31
S21	3	((privacy with (management system database)) same ((distributed several many multiple peer p2p) near4 (storage database system))) and (((map\$4 track\$3 assign\$4 select\$3) near4 (user client) near4 (storage database)) same gateway) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:35

EAST Search History

S22	0	((privacy with (management system database)) same ((distributed several many multiple peer p2p) near4 (storage database system))) and (((look-up) near4 (user client) near4 (storage database))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:35
S23	37	((distributed several many multiple peer p2p) near4 (storage database system))) and (((look-up) near4 (user client) near4 (storage database))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:46
S25	311	((determin\$3 near4 (database server)) with ((contain\$3 assign\$4 stor\$3 has) near4 user)) and ((distributed peer p2p) with (database server storage)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:02
S26	51	(privacy near4 (management system database)) and ((determin\$3 near4 (database server)) with ((contain\$3 assign\$4 stor\$3 has) near4 user)) and ((distributed peer p2p) with (database server storage)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:03
S27	42	(privacy near4 (management system database)) and ((determin\$3 near4 (database server)) with ((contain\$3 assign\$4 stor\$3 has) near4 user)) and ((distributed peer p2p) near4 (database server storage)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:03
S28	38	(privacy near4 (management system database)) and ((determin\$3 near4 (database server)) with ((contain\$3 assign\$4 stor\$3 has) near4 user)) and ((distributed peer p2p) near4 (database storage)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:05

EAST Search History

S29	4	S27 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:06
S30	9	S26 not S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:07
S31	0	(determin\$3 with (forward\$3 with request) with table) and (distributed with (database storage)) and (privacy near4 (management system database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:10
S32	0	(determin\$3 with database with table with user) and (distributed with (database storage)) and (privacy near4 (management system database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:10
S33	1	(determin\$3 with database with assign\$4 with user) and (distributed with (database storage)) and (privacy near4 (management system database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:11
S34	49	((privacy with (management system database)) same ((distributed peer p2p) with (storage database system))) and ((map\$4 assign\$4 table) with (user client) with (storage database)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:28
S35	0	(determin\$3 near4 database near4 associat\$3 near4 user) and ((privacy with (management system database)) same ((distributed peer p2p) with (storage database system))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:30

EAST Search History

S37	4	(determin\$3 near4 database near4 associat\$3 near4 (user subscriber client)) and ((privacy with (management system database)) and ((distributed peer p2p) with (storage database system))) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:36
S38	48	(determin\$3 near4 database near4 associat\$3 near4 (user subscriber client)) and ((distributed peer p2p) with (storage database system)) and (@ad<"20011219" @rlad<"20011219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 10:20
S39	0	("20030187937" "5999932").pn. and conversation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 10:20
S40	4	("20030187937" "5999932").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 10:20